Proposed Culmullin Substation

Photomontage Booklet

May 2023


Viewpoint Location Map
N
8
9
Cumulative
7
6
1
2
5
3
4

45° 40° 35° 30° 25° 20° 15° 10° 5° 0° 5° 10° 15° 20° 25° 30° 35° 40° 45°

AECOM Delivering a better world

Visualisation Type:	3	Camera:	Nikon D750	Eye level:	87.2m AOD
Projection:	Cylindrical	Lens:	Nikon fixed 50mm f/1.4G	Height of Camera:	1.6m
Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	3380m
Paper Size:	A1(resized to A3 for EIAR)	Direction of View:	Southeast		
Date / Time:	16/03/2022 13:34	Location:	E686872, N751282		

Note:
Images to be viewed at a comfortable arm's length.

Proposed Culmullin Substation

Cumulative view

This drawing has been produced for the use of AECOM's client. It may not be used, modified or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies upon this drawing without AECOM's express written consent. Do not scale this document.

45° 40° 35° 30° 25° 20° 15° 10° 5° 0° 5° 10° 15° 20° 25° 30° 35° 40° 45°

AECOM Delivering a better world

Visualisation Type:	3	Camera:	Nikon D750	Eye level:	87.2m AOD
Projection:	Cylindrical	Lens:	Nikon fixed 50mm f/1.4G	Height of Camera:	1.6m
Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	3380m
Paper Size:	A1(resized to A3 for EIAR)	Direction of View:	Southeast		
Date / Time:	16/03/2022 13:34	Location:	E686872, N751282		

Note:
Images to be viewed at a comfortable arm's length.

Proposed Culmullin Substation

Cumulative view

This drawing has been produced for the use of AECOM's client. It may not be used, modified or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies upon this drawing without AECOM's express written consent. Do not scale this document.

45° 40° 35° 30° 25° 20° 15° 10° 5° 0° 5° 10° 15° 20° 25° 30° 35° 40° 45°

AECOM Delivering a better world

Visualisation Type:	3	Camera:	Nikon D750	Eye level:	87.2m AOD
Projection:	Cylindrical	Lens:	Nikon fixed 50mm f/1.4G	Height of Camera:	1.6m
Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	3380m
Paper Size:	A1(resized to A3 for EIAR)	Direction of View:	Southeast		
Date / Time:	16/03/2022 13:34	Location:	E686872, N751282		

Note:
Images to be viewed at a comfortable arm's length.

Proposed Culmullin Substation

Cumulative view

This drawing has been produced for the use of AECOM's client. It may not be used, modified or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies upon this drawing without AECOM's express written consent. Do not scale this document.

45° 40° 35° 30° 25° 20° 15° 10° 5° 0° 5° 10° 15° 20° 25° 30° 35° 40° 45°

AECOM Delivering a better world

Visualisation Type:	3	Camera:	Nikon D750	Eye level:	87.2m AOD
Projection:	Cylindrical	Lens:	Nikon fixed 50mm f/1.4G	Height of Camera:	1.6m
Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	3380m
Paper Size:	A1(resized to A3 for EIAR)	Direction of View:	Southeast		
Date / Time:	16/03/2022 13:34	Location:	E686872, N751282		

Note:
Images to be viewed at a comfortable arm's length.

Proposed Culmullin Substation

Cumulative view

This drawing has been produced for the use of AECOM's client. It may not be used, modified or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies upon this drawing without AECOM's express written consent. Do not scale this document.

45° 40° 35° 30° 25° 20° 15° 10° 5° 0° 5° 10° 15° 20° 25° 30° 35° 40° 45°

AECOM Delivering a better world

Visualisation Type:	3	Camera:	Nikon D750	Eye level:	87.2m AOD
Projection:	Cylindrical	Lens:	Nikon fixed 50mm f/1.4G	Height of Camera:	1.6m
Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	3380m
Paper Size:	A1(resized to A3 for EIAR)	Direction of View:	Southeast		
Date / Time:	16/03/2022 13:34	Location:	E686872, N751282		

Note:
Images to be viewed at a comfortable arm's length.

Proposed Culmullin Substation

Cumulative view

This drawing has been produced for the use of AECOM's client. It may not be used, modified or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies upon this drawing without AECOM's express written consent. Do not scale this document.

45° 40° 35° 30° 25° 20° 15° 10° 5° 0° 5° 10° 15° 20° 25° 30° 35° 40° 45°

AECOM Delivering a better world

Visualisation Type:	3	Camera:	Nikon D750	Eye level:	111.8m AOD
Projection:	Cylindrical	Lens:	Nikon fixed 50mm f/1.4G	Height of Camera:	1.6m
Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	560m
Paper Size:	A1(resized to A3 for EIAR)	Direction of View:	North		
Date / Time:	16/03/2022 14:27	Location:	E689925, N749414		

Note:
Images to be viewed at a comfortable arm's length.

Proposed Culmullin Substation

VP01

This drawing has been produced for the use of AECOM's client. It may not be used, modified or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies upon this drawing without AECOM's express written consent. Do not scale this document.

45° 40° 35° 30° 25° 20° 15° 10° 5° 0° 5° 10° 15° 20° 25° 30° 35° 40° 45°

AECOM Delivering a better world

Visualisation Type:	3	Camera:	Nikon D750	Eye level:	111.8m AOD
Projection:	Cylindrical	Lens:	Nikon fixed 50mm f/1.4G	Height of Camera:	1.6m
Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	560m
Paper Size:	A1(resized to A3 for EIAR)	Direction of View:	North		
Date / Time:	16/03/2022 14:27	Location:	E689925, N749414		

Note:
Images to be viewed at a comfortable arm's length.

Proposed Culmullin Substation

VP01

This drawing has been produced for the use of AECOM's client. It may not be used, modified or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies upon this drawing without AECOM's express written consent. Do not scale this document.

45° 40° 35° 30° 25° 20° 15° 10° 5° 0° 5° 10° 15° 20° 25° 30° 35° 40° 45°

AECOM Delivering a better world

Visualisation Type:	3	Camera:	Nikon D750	Eye level:	111.8m AOD
Projection:	Cylindrical	Lens:	Nikon fixed 50mm f/1.4G	Height of Camera:	1.6m
Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	560m
Paper Size:	A1(resized to A3 for EIAR)	Direction of View:	North		
Date / Time:	16/03/2022 14:27	Location:	E689925, N749414		

Note:
Images to be viewed at a comfortable arm's length.

Proposed Culmullin Substation

VP01

This drawing has been produced for the use of AECOM's client. It may not be used, modified or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies upon this drawing without AECOM's express written consent. Do not scale this document.



45° 40° 35° 30° 25° 20° 15° 10° 5° 0° 5° 10° 15° 20° 25° 30° 35° 40° 45°

AECOM Delivering a better world

Visualisation Type:	3	Camera:	Nikon D750	Eye level:	111.8m AOD
Projection:	Cylindrical	Lens:	Nikon fixed 50mm f/1.4G	Height of Camera:	1.6m
Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	560m
Paper Size:	A1(resized to A3 for EIAR)	Direction of View:	North		
Date / Time:	16/03/2022 14:27	Location:	E689925, N749414		

Note:
Images to be viewed at a comfortable arm's length.

Proposed Culmullin Substation

VP01

This drawing has been produced for the use of AECOM's client. It may not be used, modified or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies upon this drawing without AECOM's express written consent. Do not scale this document.



45° 40° 35° 30° 25° 20° 15° 10° 5° 0° 5° 10° 15° 20° 25° 30° 35° 40° 45°

AECOM Delivering a better world

Visualisation Type:	3	Camera:	Nikon D750	Eye level:	111.8m AOD
Projection:	Cylindrical	Lens:	Nikon fixed 50mm f/1.4G	Height of Camera:	1.6m
Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	560m
Paper Size:	A1(resized to A3 for EIAR)	Direction of View:	North		
Date / Time:	16/03/2022 14:27	Location:	E689925, N749414		

Note:
Images to be viewed at a comfortable arm's length.

Proposed Culmullin Substation

VP01

This drawing has been produced for the use of AECOM's client. It may not be used, modified or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies upon this drawing without AECOM's express written consent. Do not scale this document.

45° 40° 35° 30° 25° 20° 15° 10° 5° 0° 5° 10° 15° 20° 25° 30° 35° 40° 45°

AECOM Delivering a better world

Visualisation Type:	3	Camera:	Nikon D750	Eye level:	118.5m AOD
Projection:	Cylindrical	Lens:	Nikon fixed 50mm f/1.4G	Height of Camera:	1.6m
Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	1060m
Paper Size:	A1(resized to A3 for EIAR)	Direction of View:	North		
Date / Time:	16/03/2022 12:37	Location:	E689552, N749028		

Note:
Images to be viewed at a comfortable arm's length.

Proposed Culmullin Substation

VP02

This drawing has been produced for the use of AECOM's client. It may not be used, modified or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies upon this drawing without AECOM's express written consent. Do not scale this document.

45° 40° 35° 30° 25° 20° 15° 10° 5° 0° 5° 10° 15° 20° 25° 30° 35° 40° 45°

AECOM Delivering a better world

Visualisation Type:	3	Camera:	Nikon D750	Eye level:	118.5m AOD
Projection:	Cylindrical	Lens:	Nikon fixed 50mm f/1.4G	Height of Camera:	1.6m
Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	1060m
Paper Size:	A1(resized to A3 for EIAR)	Direction of View:	North		
Date / Time:	16/03/2022 12:37	Location:	E689552, N749028		

Note:
Images to be viewed at a comfortable arm's length.

Proposed Culmullin Substation

VP02

This drawing has been produced for the use of AECOM's client. It may not be used, modified or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies upon this drawing without AECOM's express written consent. Do not scale this document.

45° 40° 35° 30° 25° 20° 15° 10° 5° 0° 5° 10° 15° 20° 25° 30° 35° 40° 45°

AECOM Delivering a better world

Visualisation Type:	3	Camera:	Nikon D750	Eye level:	118.5m AOD
Projection:	Cylindrical	Lens:	Nikon fixed 50mm f/1.4G	Height of Camera:	1.6m
Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	1060m
Paper Size:	A1(resized to A3 for EIAR)	Direction of View:	North		
Date / Time:	16/03/2022 12:37	Location:	E689552, N749028		

Note:
Images to be viewed at a comfortable arm's length.

Proposed Culmullin Substation

VP02

This drawing has been produced for the use of AECOM's client. It may not be used, modified or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies upon this drawing without AECOM's express written consent. Do not scale this document.

45° 40° 35° 30° 25° 20° 15° 10° 5° 0° 5° 10° 15° 20° 25° 30° 35° 40° 45°

AECOM Delivering a better world

Visualisation Type:	3	Camera:	Nikon D750	Eye level:	118.5m AOD
Projection:	Cylindrical	Lens:	Nikon fixed 50mm f/1.4G	Height of Camera:	1.6m
Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	1060m
Paper Size:	A1(resized to A3 for EIAR)	Direction of View:	North		
Date / Time:	16/03/2022 12:37	Location:	E689552, N749028		

Note:
Images to be viewed at a comfortable arm's length.

Proposed Culmullin Substation

VP02

This drawing has been produced for the use of AECOM's client. It may not be used, modified or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies upon this drawing without AECOM's express written consent. Do not scale this document.

45° 40° 35° 30° 25° 20° 15° 10° 5° 0° 5° 10° 15° 20° 25° 30° 35° 40° 45°

AECOM Delivering a better world

Visualisation Type:	3	Camera:	Nikon D750	Eye level:	118.5m AOD
Projection:	Cylindrical	Lens:	Nikon fixed 50mm f/1.4G	Height of Camera:	1.6m
Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	1060m
Paper Size:	A1(resized to A3 for EIAR)	Direction of View:	North		
Date / Time:	16/03/2022 12:37	Location:	E689552, N749028		

Note:
Images to be viewed at a comfortable arm's length.

Proposed Culmullin Substation

VP02

This drawing has been produced for the use of AECOM's client. It may not be used, modified or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies upon this drawing without AECOM's express written consent. Do not scale this document.

45° 40° 35° 30° 25° 20° 15° 10° 5° 0° 5° 10° 15° 20° 25° 30° 35° 40° 45°

AECOM Delivering a better world

Visualisation Type:	3	Camera:	Nikon D750	Eye level:	99.5m AOD
Projection:	Cylindrical	Lens:	Nikon fixed 50mm f/1.4G	Height of Camera:	1.6m
Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	1690m
Paper Size:	A1(resized to A3 for EIAR)	Direction of View:	Northeast		
Date / Time:	16/03/2022 13:04	Location:	E689181 N748575		

Note:
Images to be viewed at a comfortable arm's length.

Proposed Culmullin Substation

VP03

This drawing has been produced for the use of AECOM's client. It may not be used, modified or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies upon this drawing without AECOM's express written consent. Do not scale this document.

45° 40° 35° 30° 25° 20° 15° 10° 5° 0° 5° 10° 15° 20° 25° 30° 35° 40° 45°

AECOM Delivering a better world

Visualisation Type:	3	Camera:	Nikon D750	Eye level:	99.5m AOD
Projection:	Cylindrical	Lens:	Nikon fixed 50mm f/1.4G	Height of Camera:	1.6m
Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	1690m
Paper Size:	A1(resized to A3 for EIAR)	Direction of View:	Northeast		
Date / Time:	16/03/2022 13:04	Location:	E689181 N748575		

Note:
Images to be viewed at a comfortable arm's length.

Proposed Culmullin Substation

VP03

This drawing has been produced for the use of AECOM's client. It may not be used, modified or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies upon this drawing without AECOM's express written consent. Do not scale this document.

45° 40° 35° 30° 25° 20° 15° 10° 5° 0° 5° 10° 15° 20° 25° 30° 35° 40° 45°

AECOM Delivering a better world

Visualisation Type:	3	Camera:	Nikon D750	Eye level:	99.5m AOD
Projection:	Cylindrical	Lens:	Nikon fixed 50mm f/1.4G	Height of Camera:	1.6m
Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	1690m
Paper Size:	A1(resized to A3 for EIAR)	Direction of View:	Northeast		
Date / Time:	16/03/2022 13:04	Location:	E689181 N748575		

Note:
Images to be viewed at a comfortable arm's length.

Proposed Culmullin Substation

VP03

This drawing has been produced for the use of AECOM's client. It may not be used, modified or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies upon this drawing without AECOM's express written consent. Do not scale this document.

45° 40° 35° 30° 25° 20° 15° 10° 5° 0° 5° 10° 15° 20° 25° 30° 35° 40° 45°

AECOM Delivering a better world

Visualisation Type:	3	Camera:	Nikon D750	Eye level:	99.5m AOD
Projection:	Cylindrical	Lens:	Nikon fixed 50mm f/1.4G	Height of Camera:	1.6m
Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	1690m
Paper Size:	A1(resized to A3 for EIAR)	Direction of View:	Northeast		
Date / Time:	16/03/2022 13:04	Location:	E689181 N748575		

Note:
Images to be viewed at a comfortable arm's length.

Proposed Culmullin Substation

VP03

This drawing has been produced for the use of AECOM's client. It may not be used, modified or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies upon this drawing without AECOM's express written consent. Do not scale this document.

45° 40° 35° 30° 25° 20° 15° 10° 5° 0° 5° 10° 15° 20° 25° 30° 35° 40° 45°

AECOM Delivering a better world

Visualisation Type:	3	Camera:	Nikon D750	Eye level:	99.5m AOD
Projection:	Cylindrical	Lens:	Nikon fixed 50mm f/1.4G	Height of Camera:	1.6m
Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	1690m
Paper Size:	A1(resized to A3 for EIAR)	Direction of View:	Northeast		
Date / Time:	16/03/2022 13:04	Location:	E689181 N748575		

Note:
Images to be viewed at a comfortable arm's length.

Proposed Culmullin Substation

VP03

This drawing has been produced for the use of AECOM's client. It may not be used, modified or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies upon this drawing without AECOM's express written consent. Do not scale this document.

45° 40° 35° 30° 25° 20° 15° 10° 5° 0° 5° 10° 15° 20° 25° 30° 35° 40° 45°

AECOM Delivering a better world

Visualisation Type:	3	Camera:	Nikon D750	Eye level:	104.7m AOD
Projection:	Cylindrical	Lens:	Nikon fixed 50mm f/1.4G	Height of Camera:	1.6m
Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	2300m
Paper Size:	A1(resized to A3 for EIAR)	Direction of View:	Northeast		
Date / Time:	16/03/2022 12:53	Location:	E689231, N747826		

Note:
Images to be viewed at a comfortable arm's length.

Proposed Culmullin Substation

VP04

This drawing has been produced for the use of AECOM's client. It may not be used, modified or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies upon this drawing without AECOM's express written consent. Do not scale this document.

45° 40° 35° 30° 25° 20° 15° 10° 5° 0° 5° 10° 15° 20° 25° 30° 35° 40° 45°

AECOM Delivering a better world

Visualisation Type:	3	Camera:	Nikon D750	Eye level:	104.7m AOD
Projection:	Cylindrical	Lens:	Nikon fixed 50mm f/1.4G	Height of Camera:	1.6m
Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	2300m
Paper Size:	A1(resized to A3 for EIAR)	Direction of View:	Northeast		
Date / Time:	16/03/2022 12:53	Location:	E689231, N747826		

Note:
Images to be viewed at a comfortable arm's length.

Proposed Culmullin Substation

VP04

This drawing has been produced for the use of AECOM's client. It may not be used, modified or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies upon this drawing without AECOM's express written consent. Do not scale this document.

45° 40° 35° 30° 25° 20° 15° 10° 5° 0° 5° 10° 15° 20° 25° 30° 35° 40° 45°

AECOM Delivering a better world

Visualisation Type:	3	Camera:	Nikon D750	Eye level:	104.7m AOD
Projection:	Cylindrical	Lens:	Nikon fixed 50mm f/1.4G	Height of Camera:	1.6m
Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	2300m
Paper Size:	A1(resized to A3 for EIAR)	Direction of View:	Northeast		
Date / Time:	16/03/2022 12:53	Location:	E689231, N747826		

Note:
Images to be viewed at a comfortable arm's length.

Proposed Culmullin Substation

VP04

This drawing has been produced for the use of AECOM's client. It may not be used, modified or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies upon this drawing without AECOM's express written consent. Do not scale this document.

45° 40° 35° 30° 25° 20° 15° 10° 5° 0° 5° 10° 15° 20° 25° 30° 35° 40° 45°

AECOM Delivering a better world

Visualisation Type:	3	Camera:	Nikon D750	Eye level:	104.7m AOD
Projection:	Cylindrical	Lens:	Nikon fixed 50mm f/1.4G	Height of Camera:	1.6m
Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	2300m
Paper Size:	A1(resized to A3 for EIAR)	Direction of View:	Northeast		
Date / Time:	16/03/2022 12:53	Location:	E689231, N747826		

Note:
Images to be viewed at a comfortable arm's length.

Proposed Culmullin Substation

VP04

This drawing has been produced for the use of AECOM's client. It may not be used, modified or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies upon this drawing without AECOM's express written consent. Do not scale this document.

45° 40° 35° 30° 25° 20° 15° 10° 5° 0° 5° 10° 15° 20° 25° 30° 35° 40° 45°

AECOM Delivering a better world

Visualisation Type:	3	Camera:	Nikon D750	Eye level:	104.7m AOD
Projection:	Cylindrical	Lens:	Nikon fixed 50mm f/1.4G	Height of Camera:	1.6m
Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	2300m
Paper Size:	A1(resized to A3 for EIAR)	Direction of View:	Northeast		
Date / Time:	16/03/2022 12:53	Location:	E689231, N747826		

Note:
Images to be viewed at a comfortable arm's length.

Proposed Culmullin Substation

VP04

This drawing has been produced for the use of AECOM's client. It may not be used, modified or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies upon this drawing without AECOM's express written consent. Do not scale this document.

45° 40° 35° 30° 25° 20° 15° 10° 5° 0° 5° 10° 15° 20° 25° 30° 35° 40° 45°

AECOM Delivering a better world

Visualisation Type:	3	Camera:	Nikon D750	Eye level:	119.7m AOD
Projection:	Cylindrical	Lens:	Nikon fixed 50mm f/1.4G	Height of Camera:	1.6m
Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	2030m
Paper Size:	A1(resized to A3 for EIAR)	Direction of View:	West		
Date / Time:	16/03/2022 11:58	Location:	E692062, N749199		

Note:
Images to be viewed at a comfortable arm's length.

Proposed Culmullin Substation

VP05

This drawing has been produced for the use of AECOM's client. It may not be used, modified or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies upon this drawing without AECOM's express written consent. Do not scale this document.

45° 40° 35° 30° 25° 20° 15° 10° 5° 0° 5° 10° 15° 20° 25° 30° 35° 40° 45°

AECOM Delivering a better world

Visualisation Type:	3	Camera:	Nikon D750	Eye level:	119.7m AOD
Projection:	Cylindrical	Lens:	Nikon fixed 50mm f/1.4G	Height of Camera:	1.6m
Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	2030m
Paper Size:	A1(resized to A3 for EIAR)	Direction of View:	West		
Date / Time:	16/03/2022 11:58	Location:	E692062, N749199		

Note:
Images to be viewed at a comfortable arm's length.

Proposed Culmullin Substation

VP05

This drawing has been produced for the use of AECOM's client. It may not be used, modified or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies upon this drawing without AECOM's express written consent. Do not scale this document.

45° 40° 35° 30° 25° 20° 15° 10° 5° 0° 5° 10° 15° 20° 25° 30° 35° 40° 45°

AECOM Delivering a better world

Visualisation Type:	3	Camera:	Nikon D750	Eye level:	119.7m AOD
Projection:	Cylindrical	Lens:	Nikon fixed 50mm f/1.4G	Height of Camera:	1.6m
Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	2030m
Paper Size:	A1(resized to A3 for EIAR)	Direction of View:	West		
Date / Time:	16/03/2022 11:58	Location:	E692062, N749199		

Note:
Images to be viewed at a comfortable arm's length.

Proposed Culmullin Substation

VP05

This drawing has been produced for the use of AECOM's client. It may not be used, modified or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies upon this drawing without AECOM's express written consent. Do not scale this document.

45° 40° 35° 30° 25° 20° 15° 10° 5° 0° 5° 10° 15° 20° 25° 30° 35° 40° 45°

AECOM Delivering a better world

Visualisation Type:	3	Camera:	Nikon D750	Eye level:	119.7m AOD
Projection:	Cylindrical	Lens:	Nikon fixed 50mm f/1.4G	Height of Camera:	1.6m
Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	2030m
Paper Size:	A1(resized to A3 for EIAR)	Direction of View:	West		
Date / Time:	16/03/2022 11:58	Location:	E692062, N749199		

Note:
Images to be viewed at a comfortable arm's length.

Proposed Culmullin Substation

VP05

This drawing has been produced for the use of AECOM's client. It may not be used, modified or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies upon this drawing without AECOM's express written consent. Do not scale this document.

45° 40° 35° 30° 25° 20° 15° 10° 5° 0° 5° 10° 15° 20° 25° 30° 35° 40° 45°

AECOM Delivering a better world

Visualisation Type:	3	Camera:	Nikon D750	Eye level:	119.7m AOD
Projection:	Cylindrical	Lens:	Nikon fixed 50mm f/1.4G	Height of Camera:	1.6m
Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	2030m
Paper Size:	A1(resized to A3 for EIAR)	Direction of View:	West		
Date / Time:	16/03/2022 11:58	Location:	E692062, N749199		

Note:
Images to be viewed at a comfortable arm's length.

Proposed Culmullin Substation

VP05

This drawing has been produced for the use of AECOM's client. It may not be used, modified or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies upon this drawing without AECOM's express written consent. Do not scale this document.

45° 40° 35° 30° 25° 20° 15° 10° 5° 0° 5° 10° 15° 20° 25° 30° 35° 40° 45°

AECOM Delivering a better world

Visualisation Type:	3	Camera:	Nikon D750	Eye level:	102.5m AOD
Projection:	Cylindrical	Lens:	Nikon fixed 50mm f/1.4G	Height of Camera:	1.6m
Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	740m
Paper Size:	A1(resized to A3 for EIAR)	Direction of View:	Southwest		
Date / Time:	16/03/2022 11:38	Location:	E690925, N750217		

Note:
Images to be viewed at a comfortable arm's length.

Proposed Culmullin Substation

VP06

This drawing has been produced for the use of AECOM's client. It may not be used, modified or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies upon this drawing without AECOM's express written consent. Do not scale this document.

45° 40° 35° 30° 25° 20° 15° 10° 5° 0° 5° 10° 15° 20° 25° 30° 35° 40° 45°

AECOM Delivering a better world

Visualisation Type:	3	Camera:	Nikon D750	Eye level:	102.5m AOD
Projection:	Cylindrical	Lens:	Nikon fixed 50mm f/1.4G	Height of Camera:	1.6m
Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	740m
Paper Size:	A1(resized to A3 for EIAR)	Direction of View:	Southwest		
Date / Time:	16/03/2022 11:38	Location:	E690925, N750217		

Note:
Images to be viewed at a comfortable arm's length.

Proposed Culmullin Substation

VP06

This drawing has been produced for the use of AECOM's client. It may not be used, modified or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies upon this drawing without AECOM's express written consent. Do not scale this document.

45° 40° 35° 30° 25° 20° 15° 10° 5° 0° 5° 10° 15° 20° 25° 30° 35° 40° 45°

AECOM Delivering a better world

Visualisation Type:	3	Camera:	Nikon D750	Eye level:	102.5m AOD
Projection:	Cylindrical	Lens:	Nikon fixed 50mm f/1.4G	Height of Camera:	1.6m
Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	740m
Paper Size:	A1(resized to A3 for EIAR)	Direction of View:	Southwest		
Date / Time:	16/03/2022 11:38	Location:	E690925, N750217		

Note:
Images to be viewed at a comfortable arm's length.

Proposed Culmullin Substation

VP06

This drawing has been produced for the use of AECOM's client. It may not be used, modified or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies upon this drawing without AECOM's express written consent. Do not scale this document.

45° 40° 35° 30° 25° 20° 15° 10° 5° 0° 5° 10° 15° 20° 25° 30° 35° 40° 45°

AECOM Delivering a better world

Visualisation Type:	3	Camera:	Nikon D750	Eye level:	102.5m AOD
Projection:	Cylindrical	Lens:	Nikon fixed 50mm f/1.4G	Height of Camera:	1.6m
Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	740m
Paper Size:	A1(resized to A3 for EIAR)	Direction of View:	Southwest		
Date / Time:	16/03/2022 11:38	Location:	E690925, N750217		

Note:
Images to be viewed at a comfortable arm's length.

Proposed Culmullin Substation

VP06

This drawing has been produced for the use of AECOM's client. It may not be used, modified or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies upon this drawing without AECOM's express written consent. Do not scale this document.

45° 40° 35° 30° 25° 20° 15° 10° 5° 0° 5° 10° 15° 20° 25° 30° 35° 40° 45°

AECOM Delivering a better world

Visualisation Type:	3	Camera:	Nikon D750	Eye level:	102.5m AOD
Projection:	Cylindrical	Lens:	Nikon fixed 50mm f/1.4G	Height of Camera:	1.6m
Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	740m
Paper Size:	A1(resized to A3 for EIAR)	Direction of View:	Southwest		
Date / Time:	16/03/2022 11:38	Location:	E690925, N750217		

Note:
Images to be viewed at a comfortable arm's length.

Proposed Culmullin Substation

VP06

This drawing has been produced for the use of AECOM's client. It may not be used, modified or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies upon this drawing without AECOM's express written consent. Do not scale this document.

45° 40° 35° 30° 25° 20° 15° 10° 5° 0° 5° 10° 15° 20° 25° 30° 35° 40° 45°

AECOM Delivering a better world

Visualisation Type:	3	Camera:	Nikon D750	Eye level:	112.6m AOD
Projection:	Cylindrical	Lens:	Nikon fixed 50mm f/1.4G	Height of Camera:	1.6m
Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	3020m
Paper Size:	A1(resized to A3 for EIAR)	Direction of View:	Southwest		
Date / Time:	16/03/2022 11:17	Location:	E692976, N751237		

Note:
Images to be viewed at a comfortable arm's length.

Proposed Culmullin Substation

VP07

This drawing has been produced for the use of AECOM's client. It may not be used, modified or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies upon this drawing without AECOM's express written consent. Do not scale this document.

45° 40° 35° 30° 25° 20° 15° 10° 5° 0° 5° 10° 15° 20° 25° 30° 35° 40° 45°

AECOM Delivering a better world

Visualisation Type:	3	Camera:	Nikon D750	Eye level:	112.6m AOD
Projection:	Cylindrical	Lens:	Nikon fixed 50mm f/1.4G	Height of Camera:	1.6m
Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	3020m
Paper Size:	A1(resized to A3 for EIAR)	Direction of View:	Southwest		
Date / Time:	16/03/2022 11:17	Location:	E692976, N751237		

Note:
Images to be viewed at a comfortable arm's length.

Proposed Culmullin Substation

VP07

This drawing has been produced for the use of AECOM's client. It may not be used, modified or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies upon this drawing without AECOM's express written consent. Do not scale this document.

45° 40° 35° 30° 25° 20° 15° 10° 5° 0° 5° 10° 15° 20° 25° 30° 35° 40° 45°

AECOM Delivering a better world

Visualisation Type:	3	Camera:	Nikon D750	Eye level:	112.6m AOD	**Note**:	
Projection:	Cylindrical	Lens:	Nikon fixed 50mm f/1.4G	Height of Camera:	1.6m	Images to be viewed at a comfortable arm's length.	
Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	3020m		
Paper Size:	A1(resized to A3 for EIAR)	Direction of View:	Southwest				
Date / Time:	16/03/2022 11:17	Location:	E692976, N751237				

Proposed Culmullin Substation

VP07

This drawing has been produced for the use of AECOM's client. It may not be used, modified or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies upon this drawing without AECOM's express written consent. Do not scale this document.

45° 40° 35° 30° 25° 20° 15° 10° 5° 0° 5° 10° 15° 20° 25° 30° 35° 40° 45°

AECOM Delivering a better world

Visualisation Type:	3	Camera:	Nikon D750	Eye level:	112.6m AOD
Projection:	Cylindrical	Lens:	Nikon fixed 50mm f/1.4G	Height of Camera:	1.6m
Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	3020m
Paper Size:	A1(resized to A3 for EIAR)	Direction of View:	Southwest		
Date / Time:	16/03/2022 11:17	Location:	E692976, N751237		

Note:
Images to be viewed at a comfortable arm's length.

Proposed Culmullin Substation

VP07

This drawing has been produced for the use of AECOM's client. It may not be used, modified or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies upon this drawing without AECOM's express written consent. Do not scale this document.

45° 40° 35° 30° 25° 20° 15° 10° 5° 0° 5° 10° 15° 20° 25° 30° 35° 40° 45°

AECOM Delivering a better world

Visualisation Type:	3	Camera:	Nikon D750	Eye level:	112.6m AOD
Projection:	Cylindrical	Lens:	Nikon fixed 50mm f/1.4G	Height of Camera:	1.6m
Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	3020m
Paper Size:	A1(resized to A3 for EIAR)	Direction of View:	Southwest		
Date / Time:	16/03/2022 11:17	Location:	E692976, N751237		

Note:
Images to be viewed at a comfortable arm's length.

Proposed Culmullin Substation

VP07

This drawing has been produced for the use of AECOM's client. It may not be used, modified or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies upon this drawing without AECOM's express written consent. Do not scale this document.

45° 40° 35° 30° 25° 20° 15° 10° 5° 0° 5° 10° 15° 20° 25° 30° 35° 40° 45°

AECOM Delivering a better world

Visualisation Type:	3	Camera:	Nikon D750	Eye level:	104.2m AOD
Projection:	Cylindrical	Lens:	Nikon fixed 50mm f/1.4G	Height of Camera:	1.6m
Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	2430m
Paper Size:	A1(resized to A3 for EIAR)	Direction of View:	South		
Date / Time:	16/03/2022 11:03	Location:	E691117, N752287		

Note:
Images to be viewed at a comfortable arm's length.

Proposed Culmullin Substation

VP08

This drawing has been produced for the use of AECOM's client. It may not be used, modified or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies upon this drawing without AECOM's express written consent. Do not scale this document.

45° 40° 35° 30° 25° 20° 15° 10° 5° 0° 5° 10° 15° 20° 25° 30° 35° 40° 45°

AECOM Delivering a better world

Visualisation Type:	3	Camera:	Nikon D750	Eye level:	104.2m AOD
Projection:	Cylindrical	Lens:	Nikon fixed 50mm f/1.4G	Height of Camera:	1.6m
Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	2430m
Paper Size:	A1(resized to A3 for EIAR)	Direction of View:	South		
Date / Time:	16/03/2022 11:03	Location:	E691117, N752287		

Note:
Images to be viewed at a comfortable arm's length.

Proposed Culmullin Substation

VP08

This drawing has been produced for the use of AECOM's client. It may not be used, modified or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies upon this drawing without AECOM's express written consent. Do not scale this document.

45° 40° 35° 30° 25° 20° 15° 10° 5° 0° 5° 10° 15° 20° 25° 30° 35° 40° 45°

AECOM Delivering a better world

Visualisation Type:	3	Camera:	Nikon D750	Eye level:	104.2m AOD
Projection:	Cylindrical	Lens:	Nikon fixed 50mm f/1.4G	Height of Camera:	1.6m
Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	2430m
Paper Size:	A1(resized to A3 for EIAR)	Direction of View:	South		
Date / Time:	16/03/2022 11:03	Location:	E691117, N752287		

Note:
Images to be viewed at a comfortable arm's length.

Proposed Culmullin Substation

VP08

This drawing has been produced for the use of AECOM's client. It may not be used, modified or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies upon this drawing without AECOM's express written consent. Do not scale this document.

45° 40° 35° 30° 25° 20° 15° 10° 5° 0° 5° 10° 15° 20° 25° 30° 35° 40° 45°

AECOM Delivering a better world

Visualisation Type:	3	Camera:	Nikon D750	Eye level:	104.2m AOD
Projection:	Cylindrical	Lens:	Nikon fixed 50mm f/1.4G	Height of Camera:	1.6m
Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	2430m
Paper Size:	A1(resized to A3 for EIAR)	Direction of View:	South		
Date / Time:	16/03/2022 11:03	Location:	E691117, N752287		

Note:
Images to be viewed at a comfortable arm's length.

Proposed Culmullin Substation

VP08

This drawing has been produced for the use of AECOM's client. It may not be used, modified or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies upon this drawing without AECOM's express written consent. Do not scale this document.

45° 40° 35° 30° 25° 20° 15° 10° 5° 0° 5° 10° 15° 20° 25° 30° 35° 40° 45°

AECOM Delivering a better world

Visualisation Type:	3	Camera:	Nikon D750	Eye level:	104.2m AOD
Projection:	Cylindrical	Lens:	Nikon fixed 50mm f/1.4G	Height of Camera:	1.6m
Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	2430m
Paper Size:	A1(resized to A3 for EIAR)	Direction of View:	South		
Date / Time:	16/03/2022 11:03	Location:	E691117, N752287		

Note:
Images to be viewed at a comfortable arm's length.

Proposed Culmullin Substation

VP08

This drawing has been produced for the use of AECOM's client. It may not be used, modified or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies upon this drawing without AECOM's express written consent. Do not scale this document.

BASELINE

45° 40° 35° 30° 25° 20° 15° 10° 5° 0° 5° 10° 15° 20° 25° 30° 35° 40° 45°

AECOM Delivering a better world

Visualisation Type:	3	Camera:	Nikon D750	Eye level:	85.1m AOD
Projection:	Cylindrical	Lens:	Nikon fixed 50mm f/1.4G	Height of Camera:	1.6m
Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	1775m
Paper Size:	A1(resized to A3 for EIAR)	Direction of View:	Southeast		
Date / Time:	16/03/2022 13:48	Location:	E688993, N751514		

Note:
Images to be viewed at a comfortable arm's length.

Proposed Culmullin Substation

VP09

This drawing has been produced for the use of AECOM's client. It may not be used, modified or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies upon this drawing without AECOM's express written consent. Do not scale this document.

PROPOSED (NO PLANTING)

45° 40° 35° 30° 25° 20° 15° 10° 5° 0° 5° 10° 15° 20° 25° 30° 35° 40° 45°

AECOM Delivering a better world

Visualisation Type:	3	Camera:	Nikon D750	Eye level:	85.1m AOD
Projection:	Cylindrical	Lens:	Nikon fixed 50mm f/1.4G	Height of Camera:	1.6m
Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	1775m
Paper Size:	A1(resized to A3 for EIAR)	Direction of View:	Southeast		
Date / Time:	16/03/2022 13:48	Location:	E688993, N751514		

Note:
Images to be viewed at a comfortable arm's length.

Proposed Culmullin Substation

VP09

This drawing has been produced for the use of AECOM's client. It may not be used, modified or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies upon this drawing without AECOM's express written consent. Do not scale this document.

PROPOSED YEAR 10

45° 40° 35° 30° 25° 20° 15° 10° 5° 0° 5° 10° 15° 20° 25° 30° 35° 40° 45°

AECOM Delivering a better world

Visualisation Type:	3	Camera:	Nikon D750	Eye level:	85.1m AOD
Projection:	Cylindrical	Lens:	Nikon fixed 50mm f/1.4G	Height of Camera:	1.6m
Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	1775m
Paper Size:	A1(resized to A3 for EIAR)	Direction of View:	Southeast		
Date / Time:	16/03/2022 13:48	Location:	E688993, N751514		

Note:
Images to be viewed at a comfortable arm's length.

Proposed Culmullin Substation

VP09

This drawing has been produced for the use of AECOM's client. It may not be used, modified or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies upon this drawing without AECOM's express written consent. Do not scale this document.

WIRELINE (NO PLANTING)

45° 40° 35° 30° 25° 20° 15° 10° 5° 0° 5° 10° 15° 20° 25° 30° 35° 40° 45°

AECOM Delivering a better world

Visualisation Type:	3	Camera:	Nikon D750	Eye level:	85.1m AOD
Projection:	Cylindrical	Lens:	Nikon fixed 50mm f/1.4G	Height of Camera:	1.6m
Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	1775m
Paper Size:	A1(resized to A3 for EIAR)	Direction of View:	Southeast		
Date / Time:	16/03/2022 13:48	Location:	E688993, N751514		

Note:
Images to be viewed at a comfortable arm's length.

Proposed Culmullin Substation

VP09

This drawing has been produced for the use of AECOM's client. It may not be used, modified or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies upon this drawing without AECOM's express written consent. Do not scale this document.

WIRELINE YEAR 10

45° 40° 35° 30° 25° 20° 15° 10° 5° 0° 5° 10° 15° 20° 25° 30° 35° 40° 45°

AECOM Delivering a better world

Visualisation Type:	3	Camera:	Nikon D750	Eye level:	85.1m AOD	**Note:** Images to be viewed at a comfortable arm's length.	Proposed Culmullin Substation
Projection:	Cylindrical	Lens:	Nikon fixed 50mm f/1.4G	Height of Camera:	1.6m		VP09
Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	1775m		
Paper Size:	A1(resized to A3 for EIAR)	Direction of View:	Southeast				
Date / Time:	16/03/2022 13:48	Location:	E688993, N751514				

This drawing has been produced for the use of AECOM's client. It may not be used, modified or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies upon this drawing without AECOM's express written consent. Do not scale this document.